

Now specify fixtures, ballasts, and controls from one manufacturer

Lutron offers fluorescent fixtures with energy-saving EcoSystem ballasts installed.

- **Easy to specify**—just one model number for the fixture and ballast
- **Saves 40% or more in lighting energy costs**—combine tuning, dimming, daylighting, occupant sensing, and/or scheduling
- **Improve occupant comfort and productivity**—dim lights from 100% to 10%
- **More flexible space**—as the space changes, the fixtures can be easily reassigned to different sensors and controls without rewiring
- **Simplify installation**—pre-wired sensor and control connections
- **Guaranteed performance**—fixtures are 100% function tested prior to shipment
- **Peace of mind**—three-year warranty (five-year with commissioning)

Perfect for classrooms, conference rooms, corridors, lobbies, offices, patient care areas, and retail spaces.

High Bay



2 x 4 ft.

Recessed Direct/Indirect



2 x 2 ft.



2 x 4 ft.




Recessed Direct Parabolic



2 x 2 ft.



2 x 4 ft.

| Fixture | Size | Model | No. of lamps | Lamp type | Input power | Voltage |
|---|---------|--|--------------|----------------|--------------------|------------------------|
|  High Bay | 2x4 ft. | FXS HB 6 32 CT LW E U (EM) ¹ (W) ² | 6 | 32 W T8 | 232/226 W | 120/277 V |
| | 2x4 ft. | FXS HB 6 32 CH LW E U (EM) ¹ (W) ² | 6 | 32 W T8 | 232/226 W | 120/277 V |
|  Recessed Direct/Indirect | 2x2 ft. | FXS RI 2 24 22 E U (EM) ¹ (W) ² | 2 | 24 W T5HO | 54/55 W 55/55 W | 120/277 V 220/240 V |
| | 2x4 ft. | FXS RI 3 32 24 E U (EM) ¹ (W) ² | 3 | 32W | 86/86 W 86/86 W | 120/277 V 220/240 V |
|  Recessed Parabolic | 2x2 ft. | FXS PG 2 32 22 E U 09 (EM) ¹ (W) ² | 2 | 31 W T8 U-Bent | 58/61 W 59/60 W | 120/277 V 220/240 V |
| | 2x4 ft. | FXS PG 3 32 24 E U 18 (EM) ¹ (W) ² | 3 | 32 W T8 | 86/86 W 86/86 W | 120/277 V 220/240 V |

- 1 Add EM suffix for a fixture with an emergency ballast.
- 2 Add W suffix for pre-wired sensor whip.

For more models, specifications, and .ies files visit www.lutron.com/ecosystem/fixtures.