

# Technical data – Elegance

Updated 02-25-13

Fabric Name	Usable Roll Width	Openness Factor (%)	Composition	Railroading	Seaming	Fire Rating	Suggested Orientation†
<b>Sheer</b>							
Jute	96 in (2438 mm)	3	75% PVC, 35% Polyester				Normal
Met	96 in (2438 mm)	7	78% PVC, 22% Polyester	●	●	NFPA 701	Normal
<b>Dim-Out</b>							
Aretha	92 in (2337 mm)	<1	100% Polyester				Normal
Billie	76 in (1930 mm)	<1	100% Polyester		●		Normal
Bing	92 in (2337 mm)	<1	100% Polyester				Normal
Cairo	76 in (1930 mm)	<1	100% Polyester		●		Normal
Dinah	76 in (1930 mm)	<1	100% Polyester		●		Normal
Eko	80 in (2032 mm)	<1	100% Polyester		●	NFPA 701	Normal
Ella	76 in (1930 mm)	<1	100% Polyester		●		Normal
Explosion	92 in (2337 mm)	<1	100% Polyester				Normal
Fishbone	92 in (2337 mm)	<1	100% Polyester				Normal
Frank	92 in (2337 mm)	<1	100% Polyester				Normal
Louis	92 in (2337 mm)	<1	100% Polyester				Normal
Lyon	92 in (2337 mm)	<1	86% PES, 17% Metal yarn				Normal
Miles	92 in (2337 mm)	<1	100% Polyester				Normal
Nat King	92 in (2337 mm)	<1	100% Polyester				Normal
Neil	92 in (2337 mm)	<1	100% Polyester				Normal
Nina	92 in (2337 mm)	<1	100% Polyester	●			Normal
Pearl Chain	92 in (2337 mm)	<1	100% Polyester				Normal
Ray	92 in (2337 mm)	<1	100% Polyester				Normal
Scale	92 in (2337 mm)	<1	100% Polyester				Normal
Seine	76 in (1930 mm)	<1	100% Polyester				Normal
Shirley	76 in (1930 mm)	<1	100% Polyester		●		Normal
<b>Blackout</b>							
Cairo	76 in (1930 mm)	0	100% Polyester		●		Normal

Composition: PES = Polyester

† Suggested orientation corresponds to how fabrics are displayed in binder.

# Technical data – Tranquil

Updated 02-25-13

Fabric Name	Usable Roll Width	Openness Factor (%)	Composition	Railroading	Seaming	Fire Rating	Suggested Orientation†
<b>Sheer</b>							
Fashion	96 in (2438 mm)	5	70% PVC, 30% Polyester		●	NFPA 701	Normal
Hive	96 in (2438 mm)	5	70% PVC, 30% Polyester			NFPA 701	Normal
Linen	96 in (2438 mm)	5	70% PVC, 30% Polyester		●	NFPA 701	Normal
Pebblestone	96 in (2438 mm)	5	70% PVC, 30% Polyester			NFPA 701	Normal
Pinwheel	96 in (2438 mm)	5	70% PVC, 30% Polyester			NFPA 701	Normal
<b>Dim-Out</b>							
Brasilia	116 in (2946 mm)	<1	100% Polyester			M1, B1	Normal
Fortaleza	116 in (2946 mm)	<1	100% Polyester			M1, B1	Normal
Lagoon	76 in (1930 mm)	<1	100% Polyester	●	●		Railroaded
Leopard	76 in (1930 mm)	<1	100% Polyester	●	●		Normal
Muenchen	76 in (1930 mm)**	<1	100% Polyester		●		Normal
Natal	96 in (2438 mm)	<1	100% Polyester		●		Normal
Nautilus	76 in (1930 mm)	<1	100% Polyester	●	●		Railroaded
Provence	92 in (2337 mm)	<1	100% Polyester		●	M1, B1	Normal
Reed	92 in (2337 mm)	<1	82% Paper, 18% Polyester		●		Normal
Rio	76 in (1930 mm)	<1	100% Polyester		●		Normal
Saigon	92 in (2337 mm)	<1	50% PAP/37% JUT/13% PES				Normal
Salvador	92 in (2337 mm)	<1	100% Polyester		●	M1, B1	Normal
Sevilla	76 in (1930 mm)	<1	100% Polyester	●			Railroaded
Vine	76 in (1930 mm)	<1	100% Polyester	●			Railroaded
Waterfall	76 in (1930 mm)	<1	100% Polyester	●*			Railroaded
<b>Blackout</b>							
Fernando	108 in (2743 mm)	0	100% Polyester		●		Normal
Lagoon	76 in (1930 mm)	0	100% Polyester	●	●		Railroaded
Leopard	76 in (1930 mm)	0	100% Polyester	●	●		Normal
Muenchen	76 in (1930 mm)**	0	100% Polyester		●		Normal
Natal	96 in (2438 mm)	0	100% Polyester		●		Normal
Nautilus	76 in (1930 mm)	0	100% Polyester	●	●		Railroaded
Rio	76 in (1930 mm)	0	100% Polyester		●		Normal
Vine	76 in (1930 mm)	0	100% Polyester	●			Railroaded
Waterfall	76 in (1930 mm)	0	100% Polyester	●*	●		Railroaded

Composition: PAP = Paper, JUT = Jute, PES = Polyester

† Suggested orientation corresponds to how fabrics are displayed in binder.

\* Certain Waterfall fabrics can not be railroaded - RF-WTRFL-4, RF-WTRFL-8, RF-WTRFL-9, RF-WTRFL-10,

\*\* Some Muenchen fabrics are available in 108 in (2743 mm) Contact Shading Quotes for details.

# Technical data – Bold

Updated 02-25-13

Fabric Name	Usable Roll Width	Openness Factor (%)	Composition	Railroading	Seaming	Fire Rating	Suggested Orientation†
<b>Dim-Out</b>							
Amsterdam	76 in (1930 mm)*	<1	100% Polyester		●		Normal
Arbor	76 in (1930 mm)	<1	100% Polyester	●			Railroaded
Avalon	74 in (1880 mm)	<1	100% Polyester	●			Railroaded
Avon	76 in (1930 mm)	<1	100% Polyester	●			Railroaded
Azteca	76 in (1930 mm)	<1	100% Polyester	●			Railroaded
Bengali	76 in (1930 mm)	<1	100% Polyester	●			Railroaded
Blossom	74 in (1880 mm)	<1	100% Polyester	●			Railroaded
Bogota	74 in (1880 mm)	<1	100% Polyester				Normal
Devon	76 in (1930 mm)	<1	100% Polyester	●	●		Railroaded
Dogwood	74 in (1880 mm)	<1	100% Polyester	●			Railroaded
Fleur	92 in (2337 mm)	<1	100% Polyester	●			Railroaded
Font	74 in (1880 mm)	<1	100% Polyester	●			Railroaded
Haven	76 in (1930 mm)	<1	100% Polyester	●			Railroaded
Liverpool	76 in (1930 mm)	<1	100% Polyester	●			Railroaded
London	76 in (1930 mm)	<1	100% Polyester	●			Railroaded
Luna	74 in (1880 mm)	<1	100% Polyester				Normal
Nova	74 in (1880 mm)	<1	100% Polyester	●			Railroaded
Oceania	76 in (1930 mm)	<1	100% Polyester	●			Railroaded
Pegasus	76 in (1930 mm)	<1	100% Polyester	●			Railroaded
Seine	76 in (1930 mm)	<1	100% Polyester				Normal

## Blackout

Amsterdam	76 in (1930 mm)*	0	100% Polyester		●		Normal
Bengali	74 in (1880 mm)	0	100% Polyester	●			Railroaded
Birch	74 in (1880 mm)	0	100% Polyester	●			Railroaded
Blossom	74 in (1880 mm)	0	100% Polyester	●			Railroaded
Bogota	74 in (1880 mm)	0	100% Polyester				Normal
Glasglow	76 in (1930 mm)	0	100% Polyester		●		Normal
Liverpool	76 in (1930 mm)	0	100% polyester	●			Railroaded
London	76 in (1930 mm)	0	100% polyester	●			Railroaded

\* Some Amsterdam fabrics are available in 98 in. Contact Shading Quotes for details.

† Suggested orientation corresponds to how fabrics are displayed in binder.