



Shown actual size: AuroRa® dimmer and 1-gang Fassada® wallplate in white (WH)



AuroRa® wireless RF lighting control adds safety, simplicity and convenience to your lifestyle. To install AuroRa®, simply replace existing switches with AuroRa® dimmers, plug in the tabletop master control and plug in the central antenna... your system is 100% operational... without any programming.

simple to install...
easy to operate...
no programming required...
works right out of the box

AuroRa®

available models

source type

incandescent/
halogen lighting

control locations

single pole
3-way/4-way

available colors

colors (gloss finish)

WH white
IV ivory
AL almond
LA light almond

(see page 12 for
color swatches)

- create a pathway of light from the car into and throughout your home
- entire system in one package
- system installs as quickly and easily as 5 light switches
- AuroRa® dimmers have screw terminals and small backboxes
- installs in traditional-style or designer-style wallplates (not included in AuroRa® packages)
- reliable radio-frequency technology
- control lights from each dimmer, master control and wireless RF controller
- expanded capability — add multiple visor controllers (AR-WC-WH) or install another 5-dimmer package

Questions on installation or selection?
Call Lutron® 24 hours/7 days a week at
1.800.523.9466 or visit www.lutron.com





Increase the capability of your security system with AuroRa® pre-programmed lighting control

- enhance home security — add a visual alert to the sound of an existing alarm — indoor lights turn on to full bright and entry lights flash when the alarm system is activated
- security interface — three contact closure inputs trigger pre-programmed security scenes
- improve visibility — illuminate a safe path of light from your car into and throughout your home
- enhance safety — turn all five dimmers on or off from your car or the comfort of your bed
- no new wiring needed — ideal for retrofit or new construction
- matching non-system Aviena® dimmers and switches are also available (page 123)
- compatible with HomeLink®

AuroRa® package components (not available individually)



wall dimmer
(Fassada® wallplate)



wall dimmer with designer insert
(Claro® wallplate)



table top master control (plugs in)



visor wireless RF controller (battery operated)



central antenna (plugs in)

security interface (plugs in)

Fassada® wallplates, page 106, and Claro® wallplates, page 88, can be purchased separately in coordinating colors.




Visit www.lutron.com/aurora to learn about new accessory products to complement your AuroRa® system.

AuroRa® packages


entry package with designer inserts

- package contents **AR-ENT-1-** 
- (5) 600 W incandescent wall dimmers
 - (5) designer inserts
 - (1) table top master control
 - (1) wireless RF controller
 - (1) central antenna





security package

- package contents **AR-SECURITY-** 
- (5) 600 W incandescent wall dimmers
 - (5) designer inserts
 - (1) table top master control
 - (1) wireless RF controller
 - (1) security interface

switch package

- package contents **AR-ENT2S3D-** 
- (3) 600 W incandescent wall dimmers
 - (2) wall switches
 - (5) designer inserts
 - (1) table top master control
 - (1) wireless RF controller
 - (1) central antenna

optional components

- single designer insert **AR-INSERT-** 
- 5-pack designer inserts **AR-INSERT-5-** 
- wireless RF controller **AR-WC-WH**
- central antenna **AR-CA-WH**
- AuroRa® replacement dimmer **AR-6D-** 
- AuroRa® replacement switch **AR-5ANS-** 

- Fassada® wallplates **PAGE 106**
- Claro® wallplates **PAGE 88**





See page 121 for available colors.
 To order, add color suffix to model number.
 Example: **AR-ENT-1-WH**

Aviena® – 120V matching dimmers and switches



dimmer (shown with Fassada® wallplate) switch (shown with insert and Claro® wallplate)



incandescent/halogen dimmers



single pole	600 W	AN-600P- 
single pole	1000W	AN-10P- 
3-way	600 W	AN-603P- 
3-way	1000 W	AN-103P- 

magnetic low-voltage dimmers

single pole	600 VA (450 W)	ANLV-600P- 
3-way	600 VA (450 W)	ANLV-603P- 

Suggested maximum lighting load for magnetic low-voltage dimming is 450W for 600 VA products, to allow for transformer losses.

general purpose switches (use with any 15A load)

single pole	15 A	AN-1PS- 
3-way	15 A	AN-3PS- 

available colors (see page 12 for color swatches)

colors (gloss finish)

- WH** white
- IV** ivory
- AL** almond
- LA** light almond
- BL** black

Install Aviena® in place of ordinary dimmers and switches to match the look of your AuroRa® system. Aviena will not respond to AuroRa® wireless RF controllers.