

# Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011  
For the most  
up-to-date list, visit  
[www.lutron.com/dimcflled](http://www.lutron.com/dimcflled)



## CFL bulbs\* for wall-mounted C•L™ dimmers

Diva® C•L™: DWCL-153P, DVCL-153P, DVSCCL-153P  
Skylark Contour™ C•L™: CTCL-153P  
Lumea® C•L™: LGCL-153PH  
Toggler®/Ariadni® C•L™: TGCL-153P, AYCL-153P



| Brand       | Model              | Wattage | Description             |
|-------------|--------------------|---------|-------------------------|
| ecosmart    | ES5CCDF052         | 5W      | Candle, Soft White      |
|             | BPESL11R20/DM/ESM  | 11W     | R20, Soft White         |
|             | ES5R214DIM50K      | 14W     | R20, Daylight           |
|             | ES5M40114          | 14W     | Spiral, Soft White      |
|             | ESR315DIM          | 15W     | R30 Flood, Soft White   |
|             | ES5R315DIM50K      | 15W     | R30 Flood, Daylight     |
|             | ES5R315DIM35K      | 15W     | R30 Flood, Bright White |
|             | ES5M10123          | 23W     | Spiral, Soft White      |
|             | ES5M40123          | 23W     | Spiral, Soft White      |
| Feit        | BPESL11R20/DM      | 11W     | R20                     |
|             | LBP13T2C/DM        | 13W     | Spiral, Candelabra base |
|             | BPESL15T/DM        | 15W     | Spiral                  |
|             | BPESL23T/DM        | 23W     | Spiral                  |
| GE          | FLE15/2/DV/R30     | 15W     | R30                     |
|             | FLE15HT3/2/DV/SW   | 15W     | Spiral                  |
|             | FLE26HT3/2/DV/SW   | 26W     | Spiral                  |
|             | FLE26/2/DVR/40     | 26W     | R40                     |
| Litetronics | MB-500D            | 5W      | A19                     |
|             | MB-500DL           | 5W      | A19                     |
|             | MB-800D            | 8W      | A19                     |
|             | MB-800DL           | 8W      | A19                     |
|             | MB-1100D           | 11W     | BR30                    |
|             | MB-15527D          | 15W     | Post Light              |
|             | L-27527D           | 27W     | Spiral                  |
| Philips     | EL/mdT Dim 15W     | 15W     | Spiral                  |
|             | EL/A R30 Dim 16W   | 16W     | R30                     |
|             | EL/A R40 Dim 20W   | 20W     | R40                     |
|             | EL/A PAR38 Dim 20W | 20W     | Par 38                  |
|             | EL/mdT Dim 20W     | 20W     | Spiral                  |
|             | EL/dt Dim 32W      | 32W     | Spiral                  |

\* CFLs typically require a warmup period before their full dimming range is achieved.

# Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011  
For the most  
up-to-date list, visit  
[www.lutron.com/dimcflled](http://www.lutron.com/dimcflled)



## CFL bulbs\* for wall-mounted C•L™ dimmers

Diva® C•L™: DWCL-153P, DVCL-153P, DVSCCL-153P  
Skylark Contour™ C•L™: CTCL-153P  
Lumea® C•L™: LGCL-153PH  
Toggler®/Ariadni® C•L™: TGCL-153P, AYCL-153P



| Brand            | Model                  | Wattage | Description         |
|------------------|------------------------|---------|---------------------|
| <b>SYLVANIA</b>  | CF5EL/DEC/DIM          | 5W      | Candle              |
|                  | CF5EL/B10C/DIM/827/ADP | 5W      | Candle              |
|                  | CF14EL/R20/DIM         | 14W     | R20                 |
|                  | CF14EL/TWIST/DIM       | 14W     | Spiral              |
|                  | CF15EL/BR30/DIM        | 15W     | R30                 |
|                  | CF19EL/BR40/DIM        | 19W     | R40                 |
|                  | CF24EL/TWIST/DIM       | 24W     | Spiral              |
| <b>TCP</b>       | 8T03CL                 | 3W      | Candle Clear        |
|                  | 8TC05F                 | 5W      | Candle              |
|                  | 8A08WH                 | 8W      | A-bulb              |
|                  | 40114                  | 14W     | Spiral              |
|                  | 2R2014DIM              | 14W     | R20                 |
|                  | 4R2014TD               | 14W     | R20, TruDim™, 2700K |
|                  | 4R2014TD30K            | 14W     | R20, TruDim, 3000K  |
|                  | 4R2014TD35K            | 14W     | R20, TruDim, 3500K  |
|                  | 4R2014TD41K            | 14W     | R20, TruDim, 4100K  |
|                  | 4R2014TD50K            | 14W     | R20, TruDim, 5000K  |
|                  | 4R2014TD65K            | 14W     | R20, TruDim, 6500K  |
|                  | 4R3016TD               | 16W     | R30, TruDim, 2700K  |
|                  | 4R3016TD30K            | 16W     | R30, TruDim, 3000K  |
|                  | 4R3016TD35K            | 16W     | R30, TruDim, 3500K  |
|                  | 4R3016TD41K            | 16W     | R30, TruDim, 4100K  |
|                  | 4R3016TD50K            | 16W     | R30, TruDim, 5000K  |
|                  | 4R3016TD65K            | 16W     | R30, TruDim, 6500K  |
|                  | 2R3016DIM              | 16W     | R30                 |
| 10123            | 23W                    | Spiral  |                     |
| 40123            | 23W                    | Spiral  |                     |
| <b>Utilitech</b> | LBP11R20M              | 11W     | R20                 |
|                  | LBP15TDM               | 15W     | Spiral              |
|                  | LBP23TDM               | 23W     | Spiral              |

\* CFLs typically require a warmup period before their full dimming range is achieved.

# Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011  
For the most  
up-to-date list, visit  
[www.lutron.com/dimcflled](http://www.lutron.com/dimcflled)



## LED bulbs for wall-mounted C•L™ dimmers

Diva® C•L™: DWCL-153P, DVCL-153P, DVSCCL-153P

Skylark Contour™ C•L™: CTCL-153P

Lumea® C•L™: LGCL-153PH

Toggler®/Ariadni® C•L™: TGCL-153P, AYCL-153P



| Brand                  | Model                     | Wattage | Description   |
|------------------------|---------------------------|---------|---|
| <b>Cooper Lighting</b> | ML706827                  | 13.8W   | Halo® 6" Retrofit Module 2700K                                  |
|                        | ML706830                  | 13.8W   | Halo 6" Retrofit Module 3000K                                   |
|                        | ML706835                  | 13.8W   | Halo 6" Retrofit Module 3500K                                   |
|                        | ML706840                  | 13.8W   | Halo 6" Retrofit Module 4000K                                   |
|                        | AP706830WBST24 (ALED3T24) | 14.6W   | All-Pro 5 or 6" Retrofit Module & Trim                          |
|                        | RL706830E26WBS            | 14.6W   | All-Pro™ 5 or 6" Retrofit Module & Trim                         |
|                        | RL706830WBS               | 14.6W   | All-Pro 6" Retrofit Module & Trim w/<br>High-Efficacy Connector |
|                        | H455ICAT120D              | 15W     | Halo 4" Housing H4 LED Series Downlight                         |
| <b>Cree</b>            | CR6                       | 10.5W   | 6" Downlight  |
|                        | CR6-GU24                  | 10.5W   | 6" Downlight  |
| <b>ecosmart</b>        | ECS 19 WW 120             | 8W      | A19, Warm White, 3000K  |
|                        | ECS 20 WW FL 120          | 8W      | PAR20, Warm White, 3000K  |
|                        | ECS 25 WW 120             | 8W      | G25, Warm White, 3000K  |
|                        | ECS A19 V1 CW 120         | 8W      | A19, Daylight White, 4900K                                      |
|                        | ECS A19 V1 WW 120         | 8W      | A19, Warm White, 3000K  |
|                        | CR6-575L                  | 10.5W   | 6" Downlight  |
|                        | ECS A19 V2 CW 120         | 13W     | A19, Daylight White, 4900K                                      |
|                        | ECS A19 V2 WW 120         | 13W     | A19, Warm White, 3000K  |
| <b>Feit</b>            | PAR30L/DM/LED             | 13.5W   | PAR30, 3000K  |
|                        | PAR30LDM/5K/LED           | 13.5W   | PAR30, 5000K  |
|                        | 18PAR38/DM/LED            | 18W     | PAR38, 3000K  |

# Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011  
For the most  
up-to-date list, visit  
[www.lutron.com/dimcflled](http://www.lutron.com/dimcflled)



## LED bulbs for wall-mounted C•L™ dimmers

Diva® C•L™: DWCL-153P, DVCL-153P, DVSCCL-153P

Skylark Contour™ C•L™: CTCL-153P

Lumea® C•L™: LGCL-153PH

Toggler®/Ariadni® C•L™: TGCL-153P, AYCL-153P



| Brand | Model            | Wattage | Description                           |
|-------|------------------|---------|---------------------------------------|
| GE    | LED7DP20B830/12  | 7W      | PAR20, 3000K, Spot, Black Base        |
|       | LED7DP20B830/20  | 7W      | PAR20, 3000K, Flood, Black Base       |
|       | LED7DP20B827/20  | 7W      | PAR20, 2700K, Flood, Black Base       |
|       | LED7DP20W830/12  | 7W      | PAR20, 3000K, Spot, White Base        |
|       | LED7DP20W830/20  | 7W      | PAR20, 3000K, Flood, White Base       |
|       | LED7DP20W827/20  | 7W      | PAR20, 2700K, Flood, White Base       |
|       | LED7DP20S830/20  | 7W      | PAR20, 3000K, Flood, Silver Base      |
|       | LED7DP20S827/20  | 7W      | PAR20, 2700K, Flood, Silver Base      |
|       | LED10DP30S830/20 | 10W     | PAR30, 3000K, Short Neck, Silver Base |
|       | LED10DP30S827/20 | 10W     | PAR30, 2700K, Short Neck, Silver Base |
|       | LED10DP30W827/20 | 10W     | PAR30, 2700K, Short Neck, White Base  |
|       | LED10DP3LS830/20 | 10W     | PAR30, 3000K, Long Neck, Silver Base  |
|       | LED10DP3LS827/20 | 10W     | PAR30, 2700K, Long Neck, Silver Base  |
|       | LED20DP38S830/15 | 20W     | PAR38, 3000K, Silver Base             |
|       | LED20DP38S830/25 | 20W     | PAR38, 3000K, Silver Base             |
|       | LED20DP38S830/40 | 20W     | PAR38, 3000K, Silver Base             |
|       | LED20DP38S827/15 | 20W     | PAR38, 2700K, Silver Base             |
|       | LED20DP38S827/25 | 20W     | PAR38, 2700K, Silver Base             |
|       | LED20DP38S827/40 | 20W     | PAR38, 2700K, Silver Base             |

# Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011  
For the most  
up-to-date list, visit  
[www.lutron.com/dimcflled](http://www.lutron.com/dimcflled)



## LED bulbs for wall-mounted C•L™ dimmers

Diva® C•L™: DWCL-153P, DVCL-153P, DVSCCL-153P

Skylark Contour™ C•L™: CTCL-153P

Lumea® C•L™: LGCL-153PH

Toggler®/Ariadni® C•L™: TGCL-153P, AYCL-153P



| Brand            | Model                | Wattage                   | Description                              |
|------------------|----------------------|---------------------------|--|
| Lighting Science | DFN 19 CW 120        | 8W                        | A19, Cool White, 5000K                   |
|                  | DFN 19 NW 120        | 8W                        | A19, Neutral White, 4000K                |
|                  | DFN 19 W27 120       | 8W                        | A19, Warm White, 2700K                   |
|                  | DFN 19 WW 120        | 8W                        | A19, Warm White, 3000K                   |
|                  | DFN A19 V1 CW 120    | 8W                        | A19, Cool White, 5000K                   |
|                  | DFN A19 V1 NW 120    | 8W                        | A19, Neutral White, Neutral White, 4000K |
|                  | DFN A19 V1 W27 120   | 8W                        | A19, Warm White, 2700K                   |
|                  | DFN A19 V1 WW 120    | 8W                        | A19, Warm White, 3000K                   |
|                  | DFN A19 V2 CW 120    | 13.5W                     | A19, Cool White, 5000K                   |
|                  | DFN A19 V2 NW 120    | 13.5W                     | A19, Neutral White, Neutral White, 4000K |
|                  | DFN A19 V2 W27 120   | 13.5W                     | A19, Warm White, 2700K                   |
|                  | DFN A19 V2 WW 120    | 13.5W                     | A19, Warm White, 3000K                   |
|                  | DFN 20 CW FL 120     | 8W                        | PAR20, Cool White, 5000K                 |
|                  | DFN 20 CW NFL 120    | 8W                        | PAR20, Cool White, 5000K                 |
|                  | DFN 20 NW FL 120     | 8W                        | PAR20, Neutral White, 4000K              |
|                  | DFN 20 NW NFL 120    | 8W                        | PAR20, Neutral White, 4000K              |
|                  | DFN 20 W27 FL 120    | 8W                        | PAR20, Warm White, 2700K                 |
|                  | DFN 20 W27 NFL 120   | 8W                        | PAR20, Warm White, 2700K                 |
|                  | DFN 20 WW FL 120     | 8W                        | PAR20, Warm White, 3000K                 |
|                  | DFN 20 WW NFL 120    | 8W                        | PAR20, Warm White, 3000K                 |
| DFN 25 CW 120    | 8W                   | G25, Cool White, 5000K    |  |
| DFN 25 NW 120    | 8W                   | G25, Neutral White, 4000K |  |
| DFN 25 W27 120   | 8W                   | G25, Warm White, 2700K    |  |
| DFN 25 WW 120    | 8W                   | G25, Warm White, 3000K    |  |
| Lumapro          | 8A19/LED/DIM/30      | 8W                        | A19, Warm White, 3000K (6GEM2)           |
|                  | 8A19/LED/DIM/50      | 8W                        | A19, Cool White, 5000K (6GEM3)           |
|                  | 8PAR20/LED/DIM30/NFL | 8W                        | PAR20, Warm White, 3000K (6GEM4)         |
|                  | 8PAR20/LED/DIM50/NFL | 8W                        | PAR20, Cool White, 5000K (6GEM5)         |
| Philips          | 6E26R20              | 6W                        | R20                                      |
|                  | 7E26A60              | 7W                        | A19                                      |
|                  | 7E26PAR20-E          | 7W                        | PAR20                                    |
|                  | 8E26A60              | 8W                        | A19                                      |
|                  | 12E26A60             | 12W                       | A19                                      |

# Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011  
For the most  
up-to-date list, visit  
[www.lutron.com/dimcflled](http://www.lutron.com/dimcflled)



## LED bulbs for wall-mounted C•L™ dimmers

Diva® C•L™: DWCL-153P, DVCL-153P, DVSCCL-153P

Skylark Contour™ C•L™: CTCL-153P

Lumea® C•L™: LGCL-153PH

Toggler®/Ariadni® C•L™: TGCL-153P, AYCL-153P



| Brand    | Model                       | Wattage | Description                         |
|----------|-----------------------------|---------|-------------------------------------|
| SYLVANIA | LED8A/DIM/F/830             | 8W      | A19, 3000K                          |
|          | LED8A/DIM/F/827             | 8W      | A19, 2700K                          |
|          | LED8PAR20/DIM/830/NFL25     | 8W      | PAR 20, 3000K, NFL                  |
|          | LED8PAR20/DIM/830/FL36      | 8W      | PAR 20, 3000K, FL                   |
|          | LED8PAR20/DIM/827/NFL25     | 8W      | PAR 20, 2700K, NFL                  |
|          | LED8PAR20/DIM/827/FL36      | 8W      | PAR 20, 2700K, FL                   |
|          | LED8G25/DIM/F/830           | 8W      | G25, 3000K                          |
|          | LED8G25/DIM/F/827           | 8W      | G25, 2700K                          |
|          | LED10PAR30/DIM/SG/830/SP10  | 10W     | PAR 30, 3000K, SP                   |
|          | LED10PAR30/DIM/SG/830/WSP15 | 10W     | PAR 30, 3000K, WSP                  |
|          | LED10PAR30/DIM/SG/830/NFL25 | 10W     | PAR 30, 3000K, NFL                  |
|          | LED10PAR30/DIM/SG/827/SP10  | 10W     | PAR 30, 2700K, SP                   |
|          | LED10PAR30/DIM/SG/827/WSP15 | 10W     | PAR 30, 2700K, WSP                  |
|          | LED10PAR30/DIM/SG/827/NFL25 | 10W     | PAR 30, 2700K, NFL                  |
| TCP      | LED14E26P3027KFL            | 14W     | LED 14W PAR30 Flood - 2700K         |
|          | LED14E26P3027KNFL           | 14W     | LED 14W PAR30 Narrow Flood - 2700K  |
|          | LED14E26P3030KFL            | 14W     | LED 14W PAR30 Flood - 3000K         |
|          | LED14E26P3030KFLBT          | 14W     | BLACK PAR30, 40 DEGREE, TRACK LIGHT |
|          | LED14E26P3030KFLWT          | 14W     | WHITE PAR30, 40 DEGREE, TRACK LIGHT |
|          | LED14E26P3030KNFL           | 14W     | LED 14W PAR30 Narrow Flood - 3000K  |
|          | LED14E26P3030KNFLBT         | 14W     | BLACK PAR30, 25 DEGREE, TRACK LIGHT |
|          | LED14E26P3030KNFLWT         | 14W     | WHITE PAR30, 25 DEGREE, TRACK LIGHT |
|          | LED14E26P3041KFL            | 14W     | LED 14W PAR30 Flood - 4100K         |
|          | LED14E26P3041KNFL           | 14W     | LED 14W PAR30 Narrow Flood - 4100K  |
|          | LED14E26P3050KFL            | 14W     | LED 14W PAR30 Flood - 5000K         |
|          | LED14E26P3050KNFL           | 14W     | LED 14W PAR30 Narrow Flood - 5000K  |
|          | LED17E26P3827KFL            | 17W     | LED 17W PAR38 Flood - 2700K         |
|          | LED17E26P3827KNFL           | 17W     | LED 17W PAR38 Narrow Flood - 2700K  |
|          | LED17E26P3830KFL            | 17W     | LED 17W PAR38 Flood - 3000K         |
|          | LED17E26P3830KFLBT          | 17W     | BLACK PAR38, 40 DEGREE, TRACK LIGHT |

# Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011  
 For the most  
 up-to-date list, visit  
[www.lutron.com/dimcflled](http://www.lutron.com/dimcflled)



## LED bulbs for wall-mounted C•L™ dimmers

Diva® C•L™: DWCL-153P, DVCL-153P, DVSCCL-153P  
 Skylark Contour™ C•L™: CTCL-153P  
 Lumea® C•L™: LGCL-153PH  
 Toggler®/Ariadni® C•L™: TGCL-153P, AYCL-153P



| Brand               | Model                | Wattage | Description                         |
|---------------------|----------------------|---------|-------------------------------------|
| <b>TCP</b>          | LED17E26P3830KFLWT   | 17W     | WHITE PAR38, 40 DEGREE, TRACK LIGHT |
|                     | LED17E26P3830KNFL    | 17W     | LED 17W PAR38 Narrow Flood - 3000K  |
|                     | LED17E26P3830KNFLBT  | 17W     | BLACK PAR38, 25 DEGREE, TRACK LIGHT |
|                     | LED17E26P3830KNFLWT  | 17W     | WHITE PAR38, 25 DEGREE, TRACK LIGHT |
|                     | LED17E26P3841KFL     | 17W     | LED 17W PAR38 Flood - 4100K         |
|                     | LED17E26P3841KNFL    | 17W     | LED 17W PAR38 Narrow Flood - 4100K  |
|                     | LED17E26P3850KFL     | 17W     | LED 17W PAR38 Flood - 5000K         |
|                     | LED17E26P3850KNFL    | 17W     | LED 17W PAR38 Narrow Flood - 5000K  |
| <b>Utilitech</b>    | LPAR30LDM/LED        | 13.5W   | PAR30, 3000K                        |
|                     | LPAR30LDM/5K/LED     | 13.5W   | PAR30, 5000K                        |
|                     | LPAR38DM/LED         | 18W     | PAR38, 3000K                        |
|                     | LPAR38DM/5K/LED      | 18W     | PAR38, 5000K                        |
| <b>Westinghouse</b> | 8A19/LED/DIM/30      | 8W      | A19, Warm White, 3000K              |
|                     | 8A19/LED/DIM/50      | 8W      | A19, Cool White, 5000K              |
|                     | 8PAR20/LED/DIM30/NFL | 8W      | PAR20, Warm White, 3000K            |
|                     | 8PAR20/LED/DIM50/NFL | 8W      | PAR20, Warm White, 5000K            |

# Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011  
 For the most up-to-date list, visit  
[www.lutron.com/dimcflled](http://www.lutron.com/dimcflled)



## CFL bulbs\* for C•L™ lamp dimmers

Credenza® C•L™: TTCL-100H



| Brand              | Model            | Wattage | Description        |
|--------------------|------------------|---------|--------------------|
| <b>ecosmart</b>    | ES5M40114        | 14W     | Spiral, Soft white |
|                    | ES5M10123        | 23W     | Spiral, Soft white |
|                    | ES5M40123        | 23W     | Spiral, Soft white |
| <b>Feit</b>        | BPESL15T/DM      | 15W     | Spiral             |
|                    | BPESL23T/DM      | 23W     | Spiral             |
| <b>Litetronics</b> | MB-500D          | 5W      | A19                |
|                    | MB-500DL         | 5W      | A19                |
|                    | MB-800D          | 8W      | A19                |
|                    | MB-800DL         | 8W      | A19                |
|                    | MB-15527D        | 15W     | Post Light         |
|                    | L-27527D         | 27W     | Spiral             |
| <b>Philips</b>     | EL/mdT Dim 15W   | 15W     | Spiral             |
|                    | EL/mdT Dim 20W   | 20W     | Spiral             |
|                    | EL/dt Dim 32W    | 32W     | Spiral             |
| <b>SYLVANIA</b>    | CF14EL/TWIST/DIM | 14W     | Spiral             |
|                    | CF24EL/TWIST/DIM | 24W     | Spiral             |
| <b>TCP</b>         | 40114            | 14W     | Spiral             |
|                    | 10123            | 23W     | Spiral             |
|                    | 40123            | 23W     | Spiral             |
| <b>Utilitech</b>   | LBP15TDM         | 15W     | Spiral             |
|                    | LBP23TDM         | 23W     | Spiral             |

\* CFLs typically require a warmup period before their full dimming range is achieved.

# Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011  
For the most  
up-to-date list, visit  
[www.lutron.com/dimcflled](http://www.lutron.com/dimcflled)



## LED bulbs for C•L™ lamp dimmers

Credenza® C•L™: TTCL-100H



| Brand                   | Model              | Wattage                | Description                              |
|-------------------------|--------------------|------------------------|--|
| <b>ecosmart</b>         | ECS 19 WW 120      | 8W                     | A19, Warm White, 3000K                   |
|                         | ECS A19 V1 CW 120  | 8W                     | A19, Daylight White, 4900K               |
|                         | ECS A19 V1 WW 120  | 8W                     | A19, Warm White, 3000K                   |
|                         | ECS A19 V2 CW 120  | 13W                    | A19, Daylight White, 4900K               |
|                         | ECS A19 V2 WW 120  | 13W                    | A19, Warm White, 3000K                   |
| <b>Lighting Science</b> | DFN 19 CW 120      | 8W                     | A19, Cool White, 5000K                   |
|                         | DFN 19 NW 120      | 8W                     | A19, Neutral White, 4000K                |
|                         | DFN 19 W27 120     | 8W                     | A19, Warm White, 2700K                   |
|                         | DFN 19 WW 120      | 8W                     | A19, Warm White, 3000K                   |
|                         | DFN A19 V1 CW 120  | 8W                     | A19, Cool White, 5000K                   |
|                         | DFN A19 V1 NW 120  | 8W                     | A19, Neutral White, Neutral White, 4000K |
|                         | DFN A19 V1 W27 120 | 8W                     | A19, Warm White, 2700K                   |
|                         | DFN A19 V1 WW 120  | 8W                     | A19, Warm White, 3000K                   |
|                         | DFN A19 V2 CW 120  | 13.5W                  | A19, Cool White, 5000K                   |
|                         | DFN A19 V2 NW 120  | 13.5W                  | A19, Neutral White, Neutral White, 4000K |
|                         | DFN A19 V2 W27 120 | 13.5W                  | A19, Warm White, 2700K                   |
| DFN A19 V2 WW 120       | 13.5W              | A19, Warm White, 3000K |  |
| <b>Lumapro</b>          | 8A19/LED/DIM/30    | 8W                     | A19, Warm White, 3000K (6GEM2)           |
|                         | 8A19/LED/DIM/50    | 8W                     | A19, Cool White, 5000K (6GEM3)           |
| <b>Philips</b>          | 7E26A60            | 7W                     | A19                                      |
|                         | 8E26A60            | 8W                     | A19                                      |
|                         | 12E26A60           | 12W                    | A19                                      |
| <b>SYLVANIA</b>         | LED8A/DIM/F/830    | 8W                     | A19, 3000K                               |
|                         | LED8A/DIM/F/827    | 8W                     | A19, 2700K                               |
| <b>Westinghouse</b>     | 8A19/LED/DIM/30    | 8W                     | A19, Warm White, 3000K                   |
|                         | 8A19/LED/DIM/50    | 8W                     | A19, Cool White, 5000K                   |

[www.lutron.com](http://www.lutron.com)

Technical Support Center 1.800.523.9466

Customer Service 1.888.LUTRON1

© 09/2011 Lutron Electronics Co., Inc.