



Shown actual size: MeadowLark dimmer and 1-gang Claro wallplate in White (WH).

Product family features

- Rocker switch returns light to your favorite level
- Slide up to brighten; down to dim
- **eco-minder™** model: As the lights are dimmed, eco-minder LED transforms from red to green indicating 15% or more energy savings compared to a standard switch
- Mechanical air-gap to disconnect load power
- 100% factory tested
- Coordinating 1-gang Claro® wallplates only available separately
- Custom engraving available for wallplates, see pg. 155

Control types

- 🔌 Single-pole (one location)
- 🔌🔌🔌 3-way or 4-way (two or more locations)

Direct load type compatibility

- 💡 Incandescent/halogen lighting

Lighting load interfaces are not compatible with this family.

Available finishes

Use **BOLD** color code in model number (Example: MK-600PI-**IV**)

Gloss finishes*



WH
White



LA
Light Almond



AL
Almond



IV
Ivory

Dimmers

Dimmers with on/off switch and locator light



- Rocker switch returns light to your favorite level
- Slide up to brighten; down to dim
- Includes locator light
- **eco-minder™** green LED demonstrates 15% or more energy savings compared to a standard switch

*Coordinating wallplates only available separately. For wallplate information, see pg. 160.

Connections overview

Load connections*



Incandescent/
Halogen



Incandescent/
Halogen
Dimmer

Control types (for 2 or more locations) Dim from one location, switch from the others



Light
Source



3-way
Dimmer



3-way
Switch



Light
Source



3-way
Dimmer



4-way
Switch

(1 or more)



3-way
Switch

For more information on ballasts, visit
www.lutron.com/ballasts.

For more information on LED drivers, visit
www.lutron.com/LED.

*For illustration purposes only. Consult model number pages for specific voltage and capacity information.

Dimmer model numbers



Incandescent/halogen dimmers

eco-minder™ dimmers with on/off switch
and locator light

Single-pole
120V 600W

MK-600PI-**CC**³

3-way
120V 600W

MK-603PI-**CC**³


eco-minder green LED demonstrates
15% or more energy savings compared to
a standard switch.

CC³: Gloss White (WH), Light Almond (LA),
Almond (AL) and Ivory (IV), see pg. 101
(Wallplates not included, order separately,
see pg. 160)

All models must be derated if ganged unless
otherwise noted, see pg. 170.

Accessories

Wallplates



Shown actual size:
2-gang Claro® wallplate
in White (WH).
For more information
about Designer wallplates,
see pg. 160.

Coordinated electrical devices



Tamper resistant
GFCI receptacle



Customizable
6-port frame




Cable jack

For more information
about coordinated
Designer electrical
devices, see pg. 163.

Meadowlark®

Incandescent
dimming



Incandescent/
Halogen
eco-dim®
Dimmer

For illustration purposes only. Consult model number pages for specific voltage and capacity information.