


seeTouch™ Ordering Guide



SG-4SN-SN-EGN shown

For GRAFIK Eye[®]
Lighting Control
Systems



 **LUTRON**[®]
Innovations in Lighting Control

How To Order seeTouch.

Example: SG-2BN-WH-E 01

① SG - ② 2B N - ③ WH - ④ E ⑤ 01

1 Series

SG

Three options for GRAFIK Eye, lighting control systems.

3000 AND 4000 SERIES

SG

5000 AND 6000 SERIES

SO

2 Button Configurations/Features

2 B N

Choose the button configurations and features required.

NON-INSERT (N) MODELS



N
Non-Insert for single-gang use

INSERT (I) MODELS



I
Insert for multigang use

NON-INSERT (N) MODELS



N

INSERT (I) MODELS




I

Use NON-INSERT (N) Models for a clean single-gang look. Use INSERT (I) Models for multigang applications.

4 Colors/Finishes

W H

There are 19 Color/Finish options. Insert a Color/Finish code into the model number.



* Gloss available for Insert models only.

5 Language

E

Standard Text Engraving is available in 13 languages. Insert a language code into the model number.



Note: Language is not required for non-standard text engraving (NST), see below.

6 Engraving Choices

0 1

There are 3 options for ordering engraving. Insert an engraving code into the model number.

GENERAL ENGRAVING

Add (GN) to model number. Language code is required.

STANDARD TEXT ENGRAVING

01 - 99
Available in a number of choices, 01 shown. Language code and engraving number is required. See www.lutron.com/seeTouch for more choices.


NON-STANDARD TEXT ENGRAVING (SR ONLY)

See below.

BUTTON AND WALLPLATE REPLACEMENT KITS


SR

NON-INSERT (N) MODELS




TIP!
Use Button Replacement Kits to:
• Change colors, button configurations, and engraving
• Change between Insert and Non-Insert
• Order Non-Standard Text Engraving


INSERT (I) MODELS



BACKLIGHTING



Illuminated text available for IV, GR, BR, BL buttons. Metals have black buttons.



Illuminated buttons available for WH, BE, GWH, GLA, colors/finishes.

NON-STANDARD TEXT ENGRAVING (SR ONLY)

NST

Offers customized button engraving to suit particular needs. To order, contact Lutron Customer Service. Add (NST) to model number. No language code is required.

Example: SR-2BN-WH-NST

SR - 2B N - WH - NST

seeTouch™ Wallstations

*Just a look and a touch
and the perfect light settings are recalled.*

SEE.

- ◊ Easy to see backlit buttons
- ◊ Easy to read engraved buttons
- ◊ Matching buttons and faceplates (matte and gloss finishes)
- ◊ Text angles up for ease of viewing from any mounting height



SG-4SN-WH-E01 shown

TOUCH.

- ◊ Large buttons
- ◊ Rounded button design
- ◊ 2-7 buttons in the same control

Specifications

POWER: Operating voltage: Class 2, 12-35VDC.

MOUNTING: Mounts in standard U.S. single gang wallbox.

INSTALLATION: Front-accessible DIP switches for ease of addressing and setting function.

Use Button Replacement Kits (SR-) to change color, button configuration, or engraving. Button Replacement Kits may also be used to convert between non-insert (N) and insert (I) configurations.

World Headquarters
Lutron Electronics Co., Inc.
7200 Suter Road, Coopersburg, PA
18036-1299 U.S.A.
US/CAN: 800-523-9466
Int'l: 610-282-3800

Worldwide Offices
Berlin, Hong Kong,
London, Tokyo,
and Singapore

Multigang Ordering

CONTROLS: Order Insert (I) models for multigang installations. Non-Insert (N) models cannot be multiganged.

WALLPLATES: Specify "R3" openings in Lutron NovaT[®] multigang FB Series (fins broken only) wallplates. Note: seeTouch button assemblies are NOT provided with multigang wallplates. Use the button assemblies provided with Insert (I) Models/Button Replacement Kits.

MULTIGANG WALLPLATE EXAMPLES:



Wallplate for two seeTouch wallstations
Model Number: NT-R3R3-FB-□



Wallplate for other Lutron controls (shown: NTGRX-2B-SL-) and two seeTouch wallstations
Model Number: NT-T8R3R3-FB-□

Note: R3 openings ship without inserts.