

[Product Image]



# LUTRON®

## Product Report Card

Manufacturer: LITETRONICS INTERNATIONAL INC.  
 Model Number Tested: LP10562SP4D.  
 Other Model Numbers: None

### Manufacturer's Description

Type of device: LED 10W PAR30 120V  
 Operating voltage: 120V  
 Input Power: 10 W  
 Input Current: 0.08 A  
 Input Frequency: 60Hz

Control Type: Unspecified Phase Control  
 Dimming Range: 100-3%  
 Output Power: Not Specified  
 Lumen Output: 500

### Lutron Test Results

Date Tested: 22-Sep-11  
 Figure of Merit: N/A  
 Test Voltage: 120 V  
 Test Notes: None

### Lutron Recommended Compatible Products

*Lutron products not in this list can be considered to be not compatible, based on our testing.*

Product	Model Number	Fixtures per Dimmer		Measured Dimming Range <sup>(1)</sup>		Perceived Low End <sup>(2)</sup>	Comments
		Minimum	Maximum	Low End	High End		
<i>Wallbox Dimmers</i>							
All C.L Dimmers	DV(W)CL-153P CTCL-153P	1	15	17%	86%	41%	
<i>Commercial Systems</i>							
Panel Module	HW/LP-RPM-4A-120	1	113	20%	96%	45%	
Panel Module	HW/LP-RPM-4U-120	1	28	17%	97%	42%	
Grafik QS	Grafik Eye QS Main Unit Family	1	11	18%	98%	42%	
Panel Module	GP (Harrier) Card	1	29	20%	86%	45%	
<i>Residential Systems</i>							
Panel Module	HW/LP-RPM-4A-120	1	113	20%	96%	45%	
Panel Module	HW/LP-RPM-4U-120	1	28	17%	97%	42%	
HomeWorks	HxD-6ND	1	8	7%	90%	26%	
Grafik QS	Grafik Eye QS Main Unit Family	1	11	18%	98%	42%	
Panel Module	GP (Harrier) Card	1	29	20%	86%	45%	
RadioRA 2	RRD-10ND	1	14	17%	94%	42%	
RadioRA 2	RRD-6NA	1	56	10%	90%	32%	
<i>Interfaces <sup>(3)</sup></i>							
	PHPM-WBX with DVF-103P	1	189	18%	100%	42%	
	PHPM-PA with QSG-6D	1	189	20%	100%	45%	
Notes:	(1) Values are based on light output using the specified dimming control, and may not be an indication of the fixture's full rated capability (2) Perceived light level percentage is the square root of the measured light level percentage, per IESNA Lighting Handbook (3) Interfaces have been tested with the listed control; any compatible dimmer may be used instead, but high end/low end light levels may vary slightly						

Test Comments: None

*For any questions on this report, please contact the Lutron LED Center of Excellence at 877-DIM-LED8 or leds@lutron.com  
 This information was posted with the consent and cooperation of the device manufacturer. Latest test results can always be found at www.lutron.com/LEDtool.*