

Manufacturer: <u>Light Emitting Design</u>

Model Number Tested: PAGEANT LED 1714 8W R 20

Other Model Numbers: None

Manufacturer's Description

Type of device: <u>LED 1714 8W R20 2700K 120V 60hz 90mA</u>

Operating voltage: 120V
Input Power 8 W

 Input Power
 8 W

 Input Current:
 0.09 A

 Input Frequency:
 60Hz

Lutron Test Results

 Date Tested:
 1-Feb-12

 Figure of Merit:
 N/A

 Test Voltage:
 120 V

 Test Notes:
 None

Lutron Recommended Compatible Products

Lutron products not in this list can be considered to be not compatible, based on our testing.

Product	Model Number	Fixtures per Dimmer		Measured Dimming Range (1)		Perceived	
		Minimum	Maximum	Low End	High End	Low End ⁽²⁾	Comments
Wallbox Dimmers							
			No applica	able results			
Commercial Systems							
Panel Module	HW/LP-RPM- 4A-120	1	50	11%	98%	33%	Recommended for reverse phase control.
Residential Systems							
Panel Module	HW/LP-RPM- 4A-120	1	50	11%	98%	33%	Recommended for reverse phase control.
RadioRA 2	RRD-6NA	1	25	13%	99%	36%	
Interfaces (3)							
	PHPM-WBX with DVF-103P	1	83	6%	100%	24%	Recommended for reverse phase control.
	PHPM-PA with QSG-6D	1	83	12%	100%	35%	Recommended for reverse phase control.
Notes:	(1) Values are base (2) Perceived light le	evel percentage is t	the square root of the	nming control, and ma e measured light leve compatible dimmer m	l percentage, per IE	SNA Lighting Ha	s full rated capability

Control Type: Unspecified Phase Control

Dimming Range: Not Specified
Output Power: 8 W

Lumen Output: _

Test Comments: None

For any questions on this report, please contact the Lutron LED Center of Excellence at 877-DIM-LED8 or leds @lutron.com.

This information was posted with the consent and cooperation of the device manufacturer. Latest test results can always be found at www.lutron.com/LEDtool.