



# PHIFER

INCORPORATED

7 May 2009

**PHIFER INCORPORATED** certifies that the following materials, furnished by our firm, are in compliance with flammability requirements\* as listed:

**Product Group A.** Sheerweave 5000 fabrics woven from 100% FR3 Vinyl Coated Polyester. Patterns represented are limited to the following stock numbers: P57, P58, P59, P60, P61, Q43 and Q44.

1. Flammability per California Administrative Code, Title 19, Public Safety, Subchapter 8, Article 4, Sections 1272 (C) and referenced Article 4, Section 1237, Paragraph (b), Small Scale test, Registration number F-44210.
2. NFPA 701-2004 TM#1, Standard Methods of Fire Test for Flame Resistant Textiles and Films, 2004 Edition, Test Method # 1 (Small Scale).
3. NFPA 701-2004 TM#2, Standard Methods of Fire Test for Flame Resistant Textiles and Films, 2004 Edition, Test Method # 2 (Large Scale).
4. National Fire Protection Association, NFPA No. 101, "Life Safety Code", Class "A" rating. Flame Spread Index = 10, Smoke Developed Index = 195.
5. Uniform Building Code, 1979 Edition, Part VIII, "Fire Resistive Standard for Fire Protection", Chapter 42 – Interior Wall And Ceiling Finish, Sections 4201-4205, Class 1.
6. British Standard 5867: Part 2: 2008 Type B Performance Requirements.

**Product Group B.** Sheerweave 5000 fabrics woven from vinyl coated polyester yarns combined with up to 6%, by weight, of uncoated spun acrylic yarn. Patterns covered under this certification are limited to the following stock numbers: Q45, Q46, Q47, Q48, Q49, Q50, Q51, Q52, Q53.

1. National Fire Protection Association, NFPA No. 101, "Life Safety Code", Class "A" rating. Flame Spread Index = 15, Smoke Developed Value = 190.
2. Uniform Building Code, 1970 Edition, Part VIII, "Fire Resistive Standard for Fire Protection", Chapter 42-Interior Wall and Ceiling Finish, Section 4201-4205, Class 1.
3. State of California Bureau of Home Furnishings Technical Information Bulletin 117, Section E, Part 1, Upholstered Fabrics.
4. NFPA 701-2004 TM#1, Standard Methods of Fire Test for Flame Resistant Textiles and Films, 2004 Edition, Test Method # 1 (Small Scale).

Sincerely,

**PHIFER INCORPORATED**

Johnny Skinner

Quality Control Manager

\* Testing was performed by a 3<sup>rd</sup> party certified laboratory on samples representing each group of products listed.